

AIR VENT

Single & Double Air Release Valve

REF **EFC-175** ISSUED 05 Jun 2026

SPECIFICATIONS

Size	DN50–DN250
Pressure	PN16–PN25
End connection	flanged (EN 1092-2)
Face-to-face	EN 1092-2
Media	water, air

STANDARDS

Test	EN 12266
------	-----------------




MATERIALS

body	grey cast iron, ductile cast iron	ball	carbon steel with rubber coating, carbon steel with EPDM coating
seat	brass, bronze, stainless steel	disc	ductile cast iron, stainless steel
stem	stainless steel	gasket	elastomer, compressed fibre
packing	PTFE, graphite	handwheel	grey cast iron

AIR VENT

Single & Double Air Release Valve

SECTION Technical drawing REF EFC-175



AIR VENT

Single & Double Air Release Valve

SECTION Dimensions per size REF EFC-175

SIZE	B	H	OD	OK	H	D1	L	WEIGHT
DN50	160	230	165	125	—	—	—	8 kg
DN80	250	290	200	160	—	—	—	17 kg
DN100	270	330	220	180	—	—	—	18 kg
DN150	310	435	285	240	—	—	—	50 kg
DN200	310	440	340	295	—	—	—	55 kg
DN50	160	320	165	125	200	400	—	23 kg
DN80	250	415	200	160	250	650	—	62.5 kg
DN100	270	470	220	180	250	680	—	63.7 kg
DN150	310	570	285	240	400	760	—	130 kg
DN200	380	675	340	295	400	910	—	240 kg
DN250	380	675	405	355	500	910	—	253 kg

All dimensions in millimetres unless stated otherwise. Values are nominal; tolerances confirmed at quote.