

OTHER

Suction Strainer

MODEL **VSSK-10** REF **EFC-177** ISSUED **05 Jun 2026**

SPECIFICATIONS

Size **DN20–DN350**

STANDARDS

Design **DIN 87 160**




FEATURES

- 8x8 mesh screen
- Perforated bottom plate
- Perforated cover plate
- Hinge mechanism for assembly
- All-wetted parts available in AISI 304, 316, or 316L stainless steel

OTHER

Suction Strainer

SECTION Technical drawing REF EFC-177



OTHER

Suction Strainer

SECTION Dimensions per size REF EFC-177

SIZE	OD	OD1	OD2	H	H	WEIGHT
DN20	85	30	26.9	80	12	0.9 kg
DN25	85	37	33.7	80	12	1 kg
DN32	100	45	42.4	90	12	1.15 kg
DN40	125	48	44.5	98	12	1.5 kg
DN50	150	60	57	123	15	2 kg
DN65	200	80	76	160.5	22	3 kg
DN80	225	94	89	200	24	5 kg
DN100	275	114	108	237.5	30	7 kg
DN125	340	138	133	300	38	10 kg
DN150	400	165	159	362.5	45	13 kg
DN200	510	222	216	470	60	16 kg
DN250	600	280	273	600	80	25 kg
DN300	750	325	318	700	95	35 kg
DN350	860	374	368	800	110	47 kg

All dimensions in millimetres unless stated otherwise. Values are nominal; tolerances confirmed at quote.