

GLOBE VALVE

Bronze SDNR Globe Valve - BSPT

MODEL VKSDS-16 REF EFC-72 ISSUED 05 Jun 2026

SPECIFICATIONS

| | |
|----------------|-----------------|
| Size | DN15–DN50 |
| Pressure | 16 Bar |
| End connection | threaded (BSPT) |
| Temperature | null°C to 170°C |
| Media | water, oil, gas |

ACTUATION


- manual handwheel

APPLICATIONS

- water
- oil
- gas

MATERIALS

| | | | |
|---------|--------|-----------|-----------|
| body | bronze | bonnet | bronze |
| disc | bronze | stem | brass |
| packing | PTFE | handwheel | aluminium |



GLOBE VALVE

Bronze SDNR Globe Valve - BSPT

SECTION Dimensions per size REF EFC-72

| SIZE | L | D | H |
|------|-----|----|-----|
| DN15 | 49 | 52 | 71 |
| DN20 | 56 | 60 | 73 |
| DN25 | 66 | 65 | 87 |
| DN32 | 74 | 70 | 95 |
| DN40 | 85 | 78 | 110 |
| DN50 | 100 | 92 | 124 |

All dimensions in millimetres unless stated otherwise. Values are nominal; tolerances confirmed at quote.